

## HDMI High Speed Cable with Ethernet

MODEL CODE	LENGTH
------------	--------

C-HDMI14-0	0.5M
C-HDMI14-1	1M
<b>NEW</b> C-HDMI14-1H	1.5M
C-HDMI14-2	2M
C-HDMI14-3	3M
C-HDMI14-5	5M
C-HDMI14-7H	7.5M
C-HDMI14-10	10M
C-HDMI14-15	15M
C-HDMI14-20	20M

19 Pin Type A male to male

- HDMI Ethernet channel enables high-speed bi-directional communication via 100 Mbps Ethernet
- Audio return channel allows the HDTV to send the audio stream to the A/V receiver
- 3D over HDMI standardizes the input/output portion of a 3D system and specifies up to dual-stream 1080p resolution
- 4K x 2K resolution support enables HDMI devices to support HD resolutions - 4x beyond 1080p
- Expanded support for colour spaces designed specifically for digital still cameras



## HDMI to HDMI Micro Cable

MODEL CODE	LENGTH
------------	--------

C-HDMI-MIC-1	1M
C-HDMI-MIC-2	2M

19 pin Type A HDMI male to 19 pin Type D Micro



## HDMI to Mini HDMI High Speed with Ethernet

MODEL CODE	LENGTH
------------	--------

C-HDMI14-HM-2	2M
C-HDMI14-HM-3	3M
C-HDMI14-HM-5	5M

19 pin Type A HDMI male to 19 pin Type C Mini HDMI



## Mini HDMI High Speed with Ethernet

MODEL CODE	LENGTH
------------	--------

C-HM-HM14-2	2M
C-HM-HM14-3	3M
C-HM-HM14-5	5M

19 pin Type C Mini HDMI male to male



## Display Port v1.2

MODEL CODE	LENGTH
------------	--------

C-DP12-1M	1M
C-DP12-2M	2M
C-DP12-3M	3M
C-DP12-5M	5M
C-DP12-10M	10M

20 pin display port male to male (v1.2)



## DVI-D Dual Link


MODEL CODE	LENGTH
------------	--------

C-DVI-D-MMPP	0.3M
C-DVI-D-MM0	0.5M
C-DVI-D-MM2	2M
C-DVI-D-MM5	5M
C-DVI-D-MM10	10M
C-DVI-D-MM15	15M*
C-DVI-D-MM20	20M*
C-DVI-D-MM25	25M*
C-DVI-D-MM30	30M*

DVI Digital male to male cable, incorporates 24+1 pin for dual link configuration



\*Extender recommended for cable lengths over 10M




## DVI-D Dual Link Extension

MODEL CODE	LENGTH
------------	--------

C-DVI-D-MF2	2M
C-DVI-D-MF5	5M

DVI Digital male to female extension cable Incorporates 24+1 pin for digital dual link configuration



## DVI-D Single Link

MODEL CODE	LENGTH
------------	--------

C-DVI-DS-MM2	2M
--------------	----

DVI Digital male to male cable. Incorporates 18+1 pin for digital single link configuration




## DVI-I Dual Link

MODEL CODE	LENGTH
------------	--------

C-DVI-I-MM2	2M
C-DVI-I-MM5	5M
C-DVI-I-MM10	10M

DVI Analogue/Digital male to male cable. Incorporates 24+5 pin for digital/analogue dual link configuration



## HDMI Male to DVI-D Male

MODEL CODE	LENGTH
------------	--------

<b>NEW</b> C-HDMIDVI-1	1M
C-HDMIDVI-2	2M
C-HDMIDVI-5	5M

19 pin Type A HDMI male to DVI-D 18+1 pin single link male cable



## DVI to VGA Male

MODEL CODE	LENGTH
------------	--------

C-DVI-VGA-2	2M
-------------	----

DVI analogue 12+5 pin to VGA HDB15 male cable



## Display Port Adapters

MODEL CODE	TYPE
A-DP-DVIDF	Display Port to DVI-D female
A-DP-VGAF	Display Port to VGA female
<b>NEW</b> A-DP-HDMIF	Display Port to HDMI female



A-DP-VGAF



A-DP-DVIDF



A-DP-HDMIF




## Mini Display Port to Display Port

MODEL CODE	TYPE	LENGTH
<b>NEW</b> C-MDP-DP	Mini Display Port to Display Port	200mm



## Mini Display Port Passive Converter

MODEL CODE	TYPE	LENGTH
C-MDP-HDMI	Mini Display Port to HDMI female	200mm
C-MDP-DVID	Mini Display Port to DVI-D female	200mm
C-MDP-VGA	Mini Display Port to VGA female	200mm



C-MDP-HDMI



C-MDP-DVID



C-MDP-VGA



## Display Port Passive Converter

MODEL CODE	TYPE	LENGTH
C-DP-DVIDF	Display Port to DVI female	200mm
C-DP-VGAF	Display Port to VGA female	200mm



C-DP-DVIDF



C-DP-VGAF



## Mini Display Port Active Converter

MODEL CODE	TYPE	LENGTH
C-MDPAC-DVI	Mini Display Port to DVI	200mm
C-MDPAC-HDMI	Mini Display Port to HDMI	200mm



C-MDPAC-DVI



C-MDPAC-HDMI



## Display Port Active Converter

MODEL CODE	TYPE	LENGTH
C-DPAC-DVI	Display Port to DVI	200mm
C-DPAC-HDMI	Display Port to HDMI	200mm



C-DPAC-DVI




C-DPAC-HDMI



HDMI Female to HDMI Micro

MODEL CODE TYPE

- NEW** A-HDMI-MICRO HDMI Female to HDMI Micro
- NEW** A-HDMI-MINI HDMI Female to HDMI Mini



A-HDMI-MINI A-HDMI-MICRO

HDMI Angled Adapter

MODEL CODE TYPE

- A-HDMI-RA Up
- A-HDMI-LA Down
- A-HDMI-MFSR Swivel

HDMI male to female adapter incorporating high speed with Ethernet gold plated connectors



A-HDMI-RA A-HDMI-LA A-HDMI-MFSR

HDMI Joiner

MODEL CODE TYPE

- A-HDMI-FF HDMI female to female

HDMI female to female - joins two HDMI cables together



DVI to VGA

MODEL CODE TYPE

- A-DVIM-VGAF DVI-I male / VGA female
- A-DVIF-VGAM DVI-I female / VGA male
- A-DVI-DM-VGAF DVI-D male / VGA female

DVI to VGA HDDB15 adapter



HDMI to DVI

MODEL CODE TYPE

- A-HDMIDVI-I HDMI male/DVI-I female
- A-HDMIF-DVIM DVI-D Male / HDMI Female



A-HDMIDVI-I



A-HDMIF-DVIM

DVI-D Y Adapter

MODEL CODE TYPE

- C-DVI-DY DVI-D Male/2x DVI-D Female

Dual link DVI-D Y adapter - adapts 2 monitors to 1 output



DMS59 Graphics Card Splitter

MODEL CODE

- C-DMS59-2DVID

Connect dual DVI-D monitors to single DMS59 graphics card port



Gender Changer

MODEL CODE TYPE

- A-MHD15MM HD DB15 Male/Male
- A-MHD15FF HD DB15 Female/Female
- A-MD9MM DB9 Male/Male
- A-MD9FF DB9 Female/Female
- A-MD9MF DB9 Male/Female



Null Modem Adapters

MODEL CODE TYPE

- A-NULLM9 DB9 Male/Female
- A-NULLM9FF DB9 Female/Female



## VGA Ext. Cable w/Pull Ring

MODEL CODE	LENGTH
C-VGAPR-10	10M
C-VGAPR-15	15M
C-VGAPR-20	20M
C-VGAPR-25	25M
C-VGAPR-30	30M
C-VGAPR-35	35M

VGA extension cable with pull ring (350mm pull ring to VGA female adapter cable included)



## VGA M/M Cable with Pull Ring

MODEL CODE	LENGTH
C-VGAPR-MM10	10M
C-VGAPR-MM15	15M
C-VGAPR-MM20	20M
C-VGAPR-MM25	25M
C-VGAPR-MM30	30M
C-VGAPR-MM35	35M

VGA male/male extension cable with pull ring (350mm pull ring to VGA adapter cable included)



## Coaxial Shielded VGA Extension

MODEL CODE	LENGTH
C-MDDC-0	0.5M
C-MDDC-2	2M
C-MDDC-3	3M
C-MDDC-5	5M
C-MDDC-10	10M
C-MDDC-15	15M
C-MDDC-20	20M
C-MDDC-25	25M
C-MDDC-30	30M
C-MDDC-35	35M
C-MDDC-40	40M
C-MDDC-50	50M

HD DB15 male/female SVGA/XVGA coaxial shielded extension cable (incorporates ferrite core) VESA DDC compliant (all 15 pins connected)



## Coaxial Shielded VGA Male/Male

MODEL CODE	LENGTH
C-VDDCBK-MM0	0.5M
<b>NEW</b> C-VDDCBK-MM1	1M
C-VDDCBK-MM2	2M
C-VDDCBK-MM3	3M
C-VDDCBK-MM5	5M
<b>NEW</b> C-VDDCBK-MM7H	7.5M
C-VDDCBK-MM10	10M
C-VDDCBK-MM15	15M
C-VDDCBK-MM20	20M
C-VDDCBK-MM30	30M

HD DB15 SVGA/XVGA coaxial shielded male/male cable (incorporates ferrite core) VESA DDC compliant (all 15 pins connected)



## Shielded VGA + Audio Male/Male

MODEL CODE	LENGTH
C-VABK-MM2	2M
C-VABK-MM3	3M
C-VABK-MM5	5M
C-VABK-MM10	10M

HD DB15 SVGA/XVGA coaxial shielded male/male cable with 3.5mm audio male/male cable (incorporates ferrite core) VESA DDC compliant (all 15 pins connected)



## VGA Monitor Male/Male

MODEL CODE	LENGTH
C-VGA-MM	2M
C-VGA-MM3	3M

HD DB15 SVGA male/male cable 800 x 600 resolution maximum



## VGA Monitor Extension

MODEL CODE	LENGTH
C-MONV-M	2M
C-MONV-M3	3M


HD DB15 male/female VGA extension cable 800 x 600 resolution maximum



## VGA Male to RGB Monitor Male

MODEL CODE	LENGTH
C-RGB-BNC	2M

To connect standard VGA HD DB15 cards to monitors using BNC connectors



## VGA Y Cable

MODEL CODE	LENGTH
VGA201-A	150mm
VGA201	2M

Connect dual VGA monitors to single VGA output



USB 3.0 Type A/Type B

MODEL CODE	LENGTH
------------	--------

C-U3AB-1	1M
C-U3AB-2	2M
C-U3AB-3	3M
C-U3AB-5	5M

USB3.0 Type A male to Type B male cable



USB 3.0 Type A Extension

MODEL CODE	LENGTH
------------	--------

C-U3-1	1M
C-U3-2	2M
C-U3-3	3M
C-U3-5	5M

USB 3.0 Type A extension cable



USB 3.0 Type A/Micro B

MODEL CODE	LENGTH
------------	--------

C-U3MICB-1	1M
C-U3MICB-2	2M

USB3.0 Type A male to Micro B male cable



USB 2.0 Type A/Type B

MODEL CODE	LENGTH
------------	--------

C-U2AB-1	1M
C-U2AB-2	2M
C-U2AB-3	3M
C-U2AB-5	5M
C-U2AB-BULK	1.8M (200 cables per carton)

Connects computer Type A ports to peripheral or USB hub input Type B ports



USB 2.0 Type A Extension

MODEL CODE	LENGTH
------------	--------

C-U2-1	1M
C-U2-2	2M
C-U2-3	3M
C-U2-5	5M

USB 2.0 Type A extension cable



USB 2.0 Male to Male

MODEL CODE	LENGTH
------------	--------

C-U2AA-1	1M
C-U2AA-2	2M
C-U2AA-3	3M

USB 2.0 Type A male to Type A male cable



Dual USB 2.0 Type A/Mini B

MODEL CODE	LENGTH
------------	--------

C-U2AY-MB	1M
-----------	----

USB 2.0 Dual A to Mini B cable - provides extra power to 2.5" range of HDD enclosures



USB 2.0 A to Mini B

MODEL CODE	LENGTH	TYPE
------------	--------	------

C-U2AMB-03	0.3M	A Male/Mini B
C-U2AMB-2	2M	A Male/Mini B
C-U2AMB-5	5M	A Male/Mini B



USB 2.0 A to Micro B

MODEL CODE	LENGTH	TYPE
------------	--------	------

C-U2AMICB-03	0.3M	A Male/Micro B
C-U2AMICB-2	2M	A Male/Micro B



# USB MOBILE DATA TRANSFER & CHARGING CABLES

## iPhone 4 to iPhone 5 Adapter

MODEL CODE

**NEW** A-IP45

Apple 30 pin to iPhone 5 adapter



**DYNAMIX™**

## iPhone 5 USB Data Cable

MODEL CODE

**NEW** C-IP5-1

1M USB to iPhone 5 data/charging cable



**DYNAMIX™**

## USB Converter Pigtail

MODEL CODE TYPE

**NEW** C-IP5GTMIC

200mm USB to iPhone 5, Micro USB & 30 pin Galaxy Tab data & charging cable



**DYNAMIX™**

## USB Charging Cable

MODEL CODE TYPE

**NEW** C-USB03

1M Apple 30 pin to USB & Micro USB



**UNITEK**

## USB Charging Cable

MODEL CODE TYPE

C-USB10

10 in 1 Charging Cable



## USB Adapter

MODEL CODE

A-U2AFMICBM

USB 2.0 Type A female to Micro B male adapter



## USB 2.0 Cradle Extension

MODEL CODE LENGTH

C-USBEXT

1.2M

Single USB Type A male to Type A female connector



**HI-SPEED  
CERTIFIED  
USB**

## USB Slot Connector

MODEL CODE TYPE

USB-SLOT-2

Slot connector incorporating 2x USB 4P female ports for connecting the USB ports directly to the motherboard




**DYNAMIX™**

## USB Slot Connector

MODEL CODE TYPE

USB-SLOT-SFF1

1 Port USB Small Form Factor Slot Card Adapter



**DYNAMIX™**

**Firewire Cables**

MODEL CODE	LENGTH	TYPE
C-1394A-2	2M	6 pin to 6 pin
C-1394A-5	4.5M	6 pin to 6 pin
C-1394B-2	2M	4 pin to 6 pin
C-1394B-5	4.5M	4 pin to 6 pin
C-1394C-2	2M	4 pin to 4 pin
C-1394C-5	4.5M	4 pin to 4 pin


Transmission: up to 400Mbps



**Firewire 2 Cables**

MODEL CODE	LENGTH	TYPE
C-1394D-2	2M	9 pin to 9 pin
C-1394D-5	4.5M	9 pin to 9 pin
C-1394E-2	2M	9 pin to 4 pin
C-1394E-5	4.5M	9 pin to 4 pin
C-1394F-2	2M	9 pin to 6 pin
C-1394F-5	4.5M	9 pin to 6 pin


Transmission: up to 800Mbps



**DB9 Cables**

MODEL CODE	LENGTH	TYPE
C-MON-M	2M	D9 MF
C-MON-M3	3M	D9 MF
C-MON-M5	5M	D9 MF
C-MON-M10	10M	D9 MF
C-DB9-MM	2M	D9 MM
C-DB9-MM5	5M	D9 MM
C-DB9-FF	2M	D9 FF

A straight through DB9 cable used to connect computer peripherals



**DB25 Male/Male**

MODEL CODE	LENGTH
C-D25-MM1	1M
C-D25-MM2	2M
C-D25-MM5	5M
C-D25-MM7	7M
C-D25-MM10	10M
C-D25-MM15	15M

Standard 25 wire DB25 straight through male to male cable. Molded connectors



**DB25 Male/Female**

MODEL CODE	LENGTH
C-D25-MF1	1M
C-D25-MF	2M
C-D25-MF3	3M
C-D25-MF5	5M
C-D25-MF7	7M
C-D25-MF10	10M

Standard 25 wire DB25 straight through extension cable. Molded connectors



**PC AT Serial Printer**

MODEL CODE	LENGTH
C-SERAT-M	2M
C-SERAT-M5	5M
C-SERAT-M10	10M

Serial printer cable (DB9 Female / DB25 Male)



**Null Modem**

MODEL CODE	LENGTH	TYPE
C-NM25-FF	2M	D25 F/F
C-NM25-M	2M	D25 M/F
C-NM9-M	2M	D9F D25M
C-NM9-FF	2M	D9 F/F
C-NM9-FF5	5M	D9 F/F

A crossed cable, used to reverse control signals to allow two DTE devices to communicate



**Parallel Printer Cables**

MODEL CODE	LENGTH
C-IEEEAB-2	2M
C-IEEEAB-5	5M
C-PAR-M	2M
C-PAR-M3	3M
C-PAR-M5	5M
C-PAR-M10	10M

Bi-directional printer cable suitable for all parallel printers - Centronics 36 male to DB25 male



**PS/2 Cables**

MODEL CODE	LENGTH	TYPE
C-PKBD-M	2M	Male/Female
C-PKBD-M3	3M	Male/Female
C-PKBD-M5	5M	Male/Female
C-PKBD-M10	10M	Male/Female
C-PKBD-MM	2M	Male/Male
C-PKBD-MM3	3M	Male/Male
C-PKBD-MM5	5M	Male/Male
C-PKBD-MM10	10M	Male/Male

Standard PS/2 Mini Din6 keyboard/mouse extension cable





## SATA3 Data Cable

MODEL CODE	LENGTH
------------	--------

C-SATA3	50cm
<b>NEW</b> C-SATA3-20	20cm
C-SATA3-R	52cm right angled
C-SATA3-R100	1M right angled

Serial ATA internal data cable with locking connectors 6GBs



C-SATA3-R



## Mini SATA3 Data Cable

MODEL CODE	LENGTH
------------	--------

C-MSATA3-50	50cm
C-MSATA3-100	1M

Mini serial ATA internal data cable with locking connectors 6GBs



## ESATA Data Cable

MODEL CODE	LENGTH
------------	--------

C-ESATA-1	1M ESATA/ESATA
C-ESATAIN-1	0.5M ESATA/SATA

Connects external SATA devices to external SATA ports



C-ESATA-1




## SATA to ESATA Slot Cable

MODEL CODE	TYPE
------------	------

SATA-SLOT2	28cm
------------	------

Converts 2x internal SATA2 connectors to 2x external SATA connectors




## IDE to SATA Converter

MODEL CODE	LENGTH
------------	--------

A-CNV300	Bi-directional SATA converter
----------	-------------------------------

Adapter converts IDE to SATA or SATA to IDE by sliding switch



## SATA Power Adaptor

MODEL CODE
------------

A-SATAP01
-----------

Power adaptor SATA 15P male to standard Molex 4P female




## Serial ATA Power Cable/Splitter

MODEL CODE	LENGTH
------------	--------

C-SATAPC	Molex 4 Pin to SATA
C-SATAPC02	Molex 4 Pin to 2 x SATA

15cm Power splitter / adapter



C-SATAPC



C-SATAPC02

## Serial ATA Power Cable/Splitter

MODEL CODE	LENGTH
------------	--------

C-SATAPC03	SATA 15P to 2 x Molex 4 Pin
C-SATAPC04	SATA 15P to 2 x SATA 15P Female

15cm Power splitter / adapter



C-SATAPC03



C-SATAPC04

## Molex Power Splitter

MODEL CODE	LENGTH
------------	--------

C-PLFDD529	Molex 4P/2x Molex 4P
------------	----------------------

Y power cables allow one 5.25 power source to be split into two (length 140mm)




C-PLFDD529

RG59 Component Video Cables

MODEL CODE	LENGTH
------------	--------

CA-3RCA-G2	2M, Gold
CA-3RCA-59-2	2M
CA-3RCA-59-3	3M
CA-3RCA-59-5	5M
CA-3RCA-59-7H	7.5M
CA-3RCA-59-10	10M
CA-3RCA-59-15	15M
CA-3RCA-59-20	20M

3 RCA plugs to 3 RCA plugs - screened RG59 cable




RCA Audio/RG59 Video Cables

MODEL CODE	LENGTH
------------	--------

CA-3RCAV-2	2M
CA-3RCAV-3	3M
CA-3RCAV-5	5M
CA-3RCAV-7H	7.5M
CA-3RCAV-10	10M
CA-3RCAV-15	15M
CA-3RCAV-20	20M


3 RCA plugs to 3 RCA plugs - screened RG59 video cable



RCA Audio Cables

MODEL CODE	LENGTH
------------	--------

CA-3RCA-1H	1.5M
CA-3RCA-3	3M
CA-3RCA-5	5M




RCA Audio Cables

MODEL CODE	LENGTH
------------	--------

CA-2RCA-2	2M
CA-2RCA-5	5M
CA-2RCA-10	10M
CA-2RCA-15	15M
CA-2RCA-20	20M

2 RCA plugs to 2 RCA plugs



RCA Digital Audio Cables

MODEL CODE	LENGTH
------------	--------

CA-RCA-MM2	2M
CA-RCA-MM5	5M

RCA plug to plug - high resolution OFC cable with Gold Plated connectors



RCA Extension Cables

MODEL CODE	LENGTH
------------	--------

CA-RCA-MF2	2M
CA-RCA-MF5	5M

RCA plug to RCA socket



RCA Splitter Cable

MODEL CODE	TYPE
------------	------

CA-RCAS-01	1 Male to 2 Female
CA-RCAS-05	1 Female to 2 Male

RCA splitter cable 150mm




3.5mm Stereo to Mono Adapter

MODEL CODE
------------

**NEW** A-ST-2M1F

Dual Mono 3.5mm Male to Single Stereo 3.5mm Female Adapter



RCA Female/Female Adapter

MODEL CODE
------------

A-RCA-FF

RCA female / female joiner



## Toss Link Fibre Optic Cables

MODEL CODE	LENGTH
CA-TLFIB-1	1M
CA-TLFIB-2	2M
CA-TLFIB-3	3M
CA-TLFIB-5	5M
CA-TLFIB-10	10M

Toss link fibre optic cable  
Outside diameter 6.0mm



## S-Video Cables

MODEL CODE	LENGTH
CA-SV-MM2	2M
CA-SV-MM5	5M
CA-SV-MM10	10M


Mini 4 pin male to male S-Video cable



## S-Video to RCA Adaptor

MODEL CODE	LENGTH	TYPE
CA-SV4-RCA	150mm	4 pin
CA-SV7-RCA	150mm	7 pin

S-Video 4/7 pin to RCA adaptor



## RCA to Stereo Plugs


MODEL CODE	LENGTH
CA-2RCA-ST2	2M
CA-2RCA-ST5	5M
CA-2RCA-ST10	10M

2 RCA plugs to 3.5mm stereo plug



## 3.5mm Stereo Cables

MODEL CODE	LENGTH	TYPE
CA-ST-MF2	2M	Male/Female
CA-ST-MF5	5M	Male/Female
CA-ST-MF10	10M	Male/Female
CA-ST-MMPP	0.3M	Male/Male
CA-ST-MM2	2M	Male/Male
CA-ST-MM5	5M	Male/Male
CA-ST-MM10	10M	Male/Male




Male to male cable

Male to female extension cable

## Stereo Y Cable

MODEL CODE	LENGTH
CA-STY-2	2M

3.5mm stereo plug to 2 x 3.5mm sockets



## RF PAL to F Type Cable

MODEL CODE	LENGTH
CA-FRF-2	2M
CA-FRF-3	3M
CA-FRF-5	5M

RF PAL male to F type male coaxial cable



## RF PAL Male to Male Cable

MODEL CODE	LENGTH
CA-RF-MM2	2M
CA-RF-MM5	5M

RF coaxial male to male cable



## RF PAL Extension Cable

MODEL CODE	LENGTH
CA-RF-MF2	2M
CA-RF-MF5	5M
CA-RF-MF10	10M

RF coaxial male to female cable



Retail Display Stand

MODEL CODE	DESCRIPTION
SGP-STAND	Steel Gondola Pegwall Display
SGP-CAP	Top Connecting Cap
SGP-MSHELF	Metal Shelf with 2 brackets
SGP-L6	Hooks L6 inches x40 Grey
SGP-L8	Hooks L8 inches x40 Grey
SGP-L10	Hooks L10 inches x40 Grey
SGP-MSF	Wire Fence for Metal Shelf
SGP-STHOOK	Square tube hook
SGP-HDYN	DYNAMIX Header sign (870 x 655mm)

The retail display stand caters for DYNAMIX branded cables and accessories to be easily displayed in a retail environment.

Dimensions: 2030mm high (includes header), 950mm wide, 500mm deep

**FEATURES**

- Heavy-duty tubular steel construction holds and presents a broad range of DYNAMIX products
- Modular design allows installation of multiple units for impressive retail displays
- Includes header frame and light reflector to generate attention and create brand awareness
- Optional shelves, hangers, hooks and accessories help present and organize products
- Attractive, durable powder-coat finish compliments products and retail packaging
- Ideal for retailers

SGP-STAND

Retail Display Stand

MODEL CODE	DESCRIPTION
STAND	Retail Display Stand including 25 hooks

The retail display stand caters for DYNAMIX branded cables and accessories to be easily displayed in a retail environment. DYNAMIX products are clearly labeled with model code, description and barcode. Listed below are the product categories ideally suited for this display stand.

Dimensions: 2200mm high (includes header) 700mm wide, 450mm deep

DYNAMIX Branded Bin Boxes

MODEL CODE	DIMENSIONS
DBBS	SMALL Box 103(W) x 286(L) x 96(D) mm
DBBL	LARGE Box 205(W) x 286(L) x 96(D) mm
DBBS-XL	SMALL Box 155(W) x 250(L) x 320(D) mm
DBBL-XL	LARGE Box 310(W) x 250(L) x 320(D) mm

DBBL DBBS

DBBL-XL DBBS-XL